





Front

Side view

Back

PARK LITE is the lightest, smallest and most reliable electronic parking disc to date. **PARK LITE** is to be mounted inside the windscreen's lower right corner. With **PARK LITE** in the car, you don't have to worry about setting the parking disc. **PARK LITE** was designed and developed in Denmark and with-

stands extreme temperatures, both cold and heat. **PARK LITE** comes with black front. Detailed user manual is enclosed in the box along with glue pads and a cleansing tissue.

Sugg. retail price: 399,- DKK



Extra glue pads and cleansing tissue

PARK LITE comes in boxes of 10 units. The box works in addition as a display by carefully tearing off the top at the perforated line and folding up the lid and securing it at the back. **PARK LITE** is sitting in a

cardboard box with cardboard lining where the battery and holder is placed. The box furthermore contains a manual and a cleansing tissue. Display and box each have their own pre-printed EAN code. .



Display box closed



Display box open



The outside of the box



The inside of the box

Specifications

Dimensions (LxWxH, cm)

1 unit. without packaging, with front	10,0 x 7,7 x 1,8
1 unit with packaging	17,5 x 10,5 x 2,1
10 units with packaging in display box	23,3 x 18,0 x 11,3
1 x display in inner box	24,0 x 19,0 x 12,5
6 x display with inner box in outer box	55,4 x 24,0 x 23,6

Weight (grams)

1 unit without packaging	62 g
1 unit with packaging	120 g
10 units with packaging in display box	1306 g
1 x display in inner box	1504 g
6 x display with inner box in outer box	9370 g

Battery (coin cell)

Type	CR-2450 - 3 volt
Battery life expectancy	approx. 2 y

Clock

Average accuracy	± 2 min./2 y
Reaction time parking mode	approx. 20 sec.
Reaction time out of parking mode	approx.20 sec.

Temperature range

Tested to and from	-20°C / +75°C
--------------------	---------------

Materials

Shell unit	>ABS<
Front	>PMMA<

Certificates / classification

Approval

PARK LITE has been approved by Trafikstyrelsen in Denmark with reference to the order no. 327, 2003 concerning parking discs; the authorization number of the government agency FS11 is placed on the front of the device.

CE label

With the CE label, Needit ApS declares that the product fulfills the general safety requirements in the relevant CE labeling directives .

With the CE label the manufacturer of the product guarantees that the product is produced according to the standard European safety, health and environmental standards.

PARK LITE is produced according to (CE) EN 55022 (Radio disturbance characteristics) and (CE) EN 55024 (Standards for Commercial Electronic Products)..

WEEE

Electrical and electronic components (EEE) and materials can be harmful to the health and environment and must be correctly disposed of.



Item numbers and EAN codes

1 PARK LITE with black front in packaging

Item number	1410
EAN code	5711157014103

1 display with 10 PARK LITE in packaging

Item number	1450
EAN code	5711157014509

6 display boxes with 10 units each in outer box

Item number	1550
EAN code	5711157015506

Set with glue pads in black and a cleansing tissue

Item number	25
EAN code	5711157001134

POP/POS

For marketing material for PARK LITE, several solutions are available for a fee. The most common material includes signboards for standing or hanging use, posters, hang tabs roll ups and more.

Among the more spectacular material are print for facades or scaffolding, film spots for advertising. Beyond that, only the imagination sets the limits.